

Solicitation Amendment No. 01

Page 1 of 1

To: Prospective Bidder/Offeror:	Date:
All Prospective Bidders/Offerors	January 7, 2008
Project Title:	Project No.:
Network Upgrade Equipment	Project # 08-12
<p>Description of Solicitation Amendment:</p> <p>The Invitation For Bid for Network Upgrade Equipment (Project # 08-12) is hereby amended as set forth below:</p> <p>1. <u>Schedule of Items and Prices/Appendix A-Data Network Equipment (Attachment No. 3)</u> Appendix A-Data Network Equipment (Attachment No. 3) is hereby being amended to replace the original Northline Requirements (Pages 14 and 15), with the revised Northline requirements dated January 7, 2008, attached hereto.</p>	
Acknowledgement of Amendment No. _____ by:	Date:
Company Name (Bidder/Offerer):	
Signed by:	
Name (Type or Print):	Title:

NORTHLINE				
Product	Description	Quantity	Unit Bid Price	Extended Bid Amount
MDF				
WS-C3750G-24TS-E	Catalyst 3750 24 10/100/1000 + 4 SFP Enhcd Multilayer;1.5RU	1		
CAB-STACK-50CM	Cisco StackWise 50CM Stacking Cable	1		
CAB-AC	Power Cord,110V	1		
GLC-SX-MM	GE SFP, LC connector SX transceiver	12		
CON-SNT-3750G24T	SMARTNET 8X5XNBD Cat 3750 24 Enhanced Multilayer	1		
IDF 142				
WS-C4506	Catalyst 4500 Chassis (6-Slot),fan, no p/s	1		
PWR-C45-2800ACV	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
PWR-C45-2800ACV/2	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
CAB-AC-2800W-TWLK	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	2		
WS-X4516-10GE	Catalyst 4500 Supervisor V-10GE, 2x10GE (X2) or 4x1GE (SFP)	1		
S4KL3EK9-12225EWA	Cisco IOS ENHNCD L3 C4500 SUP4/5,3DES(OSPF,EIGRP,IS-IS)	1		
WS-X4248-RJ45V	Catalyst 4500 PoE 802.3af 10/100, 48-Ports (RJ45)	5		
GLC-SX-MM	GE SFP, LC connector SX transceiver	1		
CON-SNT-WS-C4506	8x5xNBD Svc^ for Catalyst 4506R Series Modular Switch	1		
IDF 116				
WS-C4510R	Catalyst 4500 Chassis (10-Slot),fan, no p/s,Red Sup Capable	1		
PWR-C45-2800ACV	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
PWR-C45-2800ACV/2	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
CAB-AC-2800W-TWLK	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	2		
WS-X4516-10GE	Catalyst 4500 Supervisor V-10GE, 2x10GE (X2) and 4x1GE (SFP)	1		
S4KL3EK9-12225EWA	Cisco IOS ENHNCD L3 C4500 SUP4/5,3DES(OSPF,EIGRP,IS-IS)	1		
WS-X4548-GB-RJ45V	Catalyst 4500 PoE 802.3af 10/100/1000, 48-Ports (RJ45)	7		
GLC-SX-MM	GE SFP, LC connector SX transceiver	1		
CON-SNT-WS-C4510	8x5xNBD Svc, Catalyst 4500 Chassis (10-Slot),fan, no	1		
IDF 242				
WS-C4506	Catalyst 4500 Chassis (6-Slot),fan, no p/s	1		
PWR-C45-2800ACV	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
PWR-C45-2800ACV/2	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
CAB-AC-2800W-TWLK	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	2		
WS-X4516-10GE	Catalyst 4500 Supervisor V-10GE, 2x10GE (X2) or 4x1GE (SFP)	1		
S4KL3EK9-12225EWA	Cisco IOS ENHNCD L3 C4500 SUP4/5,3DES(OSPF,EIGRP,IS-IS)	1		
WS-X4248-RJ45V	Catalyst 4500 PoE 802.3af 10/100, 48-Ports (RJ45)	2		
GLC-SX-MM	GE SFP, LC connector SX transceiver	1		
CON-SNT-WS-C4506	8x5xNBD Svc^ for Catalyst 4506R Series Modular Switch	1		
IDF 216				
WS-C4506	Catalyst 4500 Chassis (6-Slot),fan, no p/s	1		
PWR-C45-2800ACV	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
PWR-C45-2800ACV/2	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
CAB-AC-2800W-TWLK	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	2		
WS-X4516-10GE	Catalyst 4500 Supervisor V-10GE, 2x10GE (X2) or 4x1GE (SFP)	1		
S4KL3EK9-12225EWA	Cisco IOS ENHNCD L3 C4500 SUP4/5,3DES(OSPF,EIGRP,IS-IS)	1		
WS-X4248-RJ45V	Catalyst 4500 PoE 802.3af 10/100, 48-Ports (RJ45)	5		
GLC-SX-MM	GE SFP, LC connector SX transceiver	1		
CON-SNT-WS-C4506	8x5xNBD Svc^ for Catalyst 4506R Series Modular Switch	1		
WS-C4506	Catalyst 4500 Chassis (6-Slot),fan, no p/s	1		
PWR-C45-2800ACV	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
PWR-C45-2800ACV/2	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
CAB-AC-2800W-TWLK	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	2		
WS-X4516-10GE	Catalyst 4500 Supervisor V-10GE, 2x10GE (X2) or 4x1GE (SFP)	1		

NORTHLINE				
Product	Description	Quantity	Unit Bid Price	Extended Bid Amount
S4KL3EK9-12225EWA	Cisco IOS ENHNCD L3 C4500 SUP4/5,3DES(OSPF,EIGRP,IS-IS)	1		
WS-X4248-RJ45V	Catalyst 4500 PoE 802.3af 10/100, 48-Ports (RJ45)	4		
GLC-SX-MM	GE SFP, LC connector SX transceiver	1		
CON-SNT-WS-C4506	8x5xNBD Svc^ for Catalyst 4506R Series Modular Switch	1		
IDF 316				
WS-C4510R	Catalyst 4500 Chassis (10-Slot),fan, no p/s,Red Sup Capable	1		
PWR-C45-2800ACV	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
PWR-C45-2800ACV/2	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
CAB-AC-2800W-TWLK	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	2		
WS-X4516-10GE	Catalyst 4500 Supervisor V-10GE, 2x10GE (X2) and 4x1GE (SFP)	1		
S4KL3EK9-12225EWA	Cisco IOS ENHNCD L3 C4500 SUP4/5,3DES(OSPF,EIGRP,IS-IS)	1		
WS-X4548-GB-RJ45V	Catalyst 4500 PoE 802.3af 10/100/1000, 48-Ports (RJ45)	7		
GLC-SX-MM	GE SFP, LC connector SX transceiver	1		
CON-SNT-WS-C4510	8x5xNBD Svc, Catalyst 4500 Chassis (10-Slot),fan, no	1		
IDF 442				
WS-C4506	Catalyst 4500 Chassis (6-Slot),fan, no p/s	1		
PWR-C45-2800ACV	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
PWR-C45-2800ACV/2	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
CAB-AC-2800W-TWLK	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	2		
WS-X4516-10GE	Catalyst 4500 Supervisor V-10GE, 2x10GE (X2) or 4x1GE (SFP)	1		
S4KL3EK9-12225EWA	Cisco IOS ENHNCD L3 C4500 SUP4/5,3DES(OSPF,EIGRP,IS-IS)	1		
WS-X4248-RJ45V	Catalyst 4500 PoE 802.3af 10/100, 48-Ports (RJ45)	5		
GLC-SX-MM	GE SFP, LC connector SX transceiver	1		
CON-SNT-WS-C4506	8x5xNBD Svc^ for Catalyst 4506R Series Modular Switch	1		
IDF 416				
WS-C4510R	Catalyst 4500 Chassis (10-Slot),fan, no p/s,Red Sup Capable	1		
PWR-C45-2800ACV	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
PWR-C45-2800ACV/2	Catalyst 4500 2800W AC Power Supply (Data and PoE)	1		
CAB-AC-2800W-TWLK	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug	2		
WS-X4516-10GE	Catalyst 4500 Supervisor V-10GE, 2x10GE (X2) and 4x1GE (SFP)	1		
S4KL3EK9-12225EWA	Cisco IOS ENHNCD L3 C4500 SUP4/5,3DES(OSPF,EIGRP,IS-IS)	1		
WS-X4548-GB-RJ45V	Catalyst 4500 PoE 802.3af 10/100/1000, 48-Ports (RJ45)	7		
GLC-SX-MM	GE SFP, LC connector SX transceiver	1		
CON-SNT-WS-C4510	8x5xNBD Svc, Catalyst 4500 Chassis (10-Slot),fan, no	1		